

16-01

STATEMENT OF POLICY

School and Child Care Immunization Requirements

Policy

The National Association of County and City Health Officials (NACCHO) supports implementation of child care, school, and university immunization requirements based on recommendations of the Advisory Committee on Immunization Practices (ACIP). To maintain high immunization rates and protect communities from vaccine-preventable diseases, NACCHO supports requirements that allow only medical exemptions due to allergy or medical contraindication.

To successfully enact effective school-entry and childcare immunization requirements, NACCHO urges the following actions by local and state governments and educational institutions:

- Implement requirements that follow the ACIP recommended vaccination schedule and require proof of immunization signed by a licensed medical professional.¹
- Implement requirements that include children who attend public and private schools, and homeschooled children who participate in public or private school activities.
- Implement requirements that ensure all public and private schools report student vaccination status to state/local health departments.
- Make school vaccination and exemption rates publicly available.
- Increase resources to conduct school record and medical office record reviews to monitor compliance with immunization and exemption documentation requirements.
- Increase financial support to local health departments, school nurses, and/or state/local immunization coalitions to educate parents, guardians, healthcare providers, and students about immunization requirements and the importance of vaccines.
- Advocate for policies that reduce or eliminate religious and philosophical exemptions from the requirements.

If immunization requirements that only allow for medical exemptions are not feasible, the following steps can be taken to limit non-medical exemptions:

- Use exemption forms that require parents/guardians or students ≥ 18 years to acknowledge the risks involved in refusing vaccinations.
- Use exemption forms that require parents/guardians or students ≥ 18 years to acknowledge that in the event of an exposure to a vaccine-preventable illness, the exposed individual would be excluded from school and all school-related activities for the appropriate two incubation periods beyond the date of onset of the last case, as per standard public health practice.
- Notify parents, guardians, and college and university students of school and child care vaccination and exemption rates annually.



- Evaluate exemption procedures annually.
- Require that exemption forms be renewed annually.
- For individuals requesting exemptions, (1) require documentation from a medical provider regarding the refusal to vaccinate and consultation pertaining to risks; (2) require consultation and signature by the local health department for non-medical exemptions; or (3) implement mandatory education sessions and require acknowledgement of risk or notarized documentation of non-medical exemptions for parents, guardians, or student ≥ 18 years about the importance of immunization and the impact of refusing immunizations.

School and child care entry requirements, as with other public health interventions, must be introduced, exercised, and implemented judiciously to preserve the health of communities and the rights of individuals, parents, and community members. The decision of when to add a vaccine to school requirements should be made strategically, taking into account the following factors: characteristics of the vaccine and community; ACIP recommendations; vaccine safety and effectiveness; vaccine coverage in the absence of a requirement; stable and adequate vaccine supply; disease burden, severity, communicability; and operational considerations, such as cost and ability to effectively implement and monitor compliance.

Justification

Vaccines are a cost-effective tool for protecting children and adults against serious and potentially fatal diseases.² The immunization of a majority of children (herd immunity) can be achieved through school and child care entry requirements, which have been shown to effectively increase immunization coverage rates and reduce rates of disease.³⁻⁵ Herd immunity will protect the school population that cannot be immunized due to age, medical reasons, or waning immunity between doses.

Many states grant exemptions to child care and school immunization requirements for medical, religious, or philosophical (personal, moral, or other) reasons.⁶ Almost all states grant religious exemptions for people who have religious beliefs against immunizations. Many states allow philosophical exemptions for those who object to immunizations because of personal, moral, or other beliefs.⁷

Exempted children are at increased risk for acquiring vaccine-preventable diseases and pose a risk for transmitting infection to susceptible persons in the community.^{8,9} Furthermore, geographic areas with high rates of exemption have been shown to have higher rates of vaccine-preventable diseases.¹⁰ During the 2017–18 school year, the median percentage of kindergarteners with an exemption from one or more required vaccines gradually increased for the third year in a row.¹¹ Several studies have also shown that exemption rates are significantly higher in states with an easier exemption process; therefore, states that cannot entirely eliminate non-medical exemptions should make them more difficult for people to obtain.^{12,13}

College and university students are considered high risk for exposure to and transmission of vaccine-preventable diseases, such as meningococcal disease and mumps as result of close living quarters, social activities, and other conditions unique to college/university life; therefore, immunization requirements remain important in this setting.^{14,15} Given the

relationship between vaccine exemptions and increased disease incidence, exemptions should not be allowed to occur casually because of misinformation or convenience.^{10,16,17} Every opportunity should be taken to provide accurate and timely information to parents to encourage compliance with school and child care vaccination requirements.

References

1. Strikas, R. A., Advisory Committee on Immunization Practices Child/Adolescent Immunization Work Group. (2015). Advisory committee on immunization practices recommended immunization schedules for persons aged 0 through 18 years—United States, 2015. *Morbidity and Mortality Weekly Report*, 64, 93-94.
2. Centers for Disease Control and Prevention. (1999). Impact of vaccines universally recommended for children—United States, 1900–1998. *MMWR*, 48(12), 243–248.
3. Averhoff, F., Linton, L., Peddecord, K. M., Edwards, C., Wang, W., & Fishbein, D. (2004). A middle school immunization law rapidly and substantially increases immunization coverage among adolescents. *American Journal of Public Health*, 94(6), 978-984.
4. Wilson, T. R., Fishbein, D. B., Ellis, P. A., & Edlavitch, S. A. (2005). The impact of a school entry law on adolescent immunization rates. *Journal of Adolescent Health*, 37(6), 511-516.
5. Kharbanda, E. O., Stockewell, M. S., Colgrove, J., Natarajan, K., & Rickert V. I. (2010). Changes in Tdap and MCV4 vaccine coverage following enactment of a statewide requirement of Tdap vaccination for entry into sixth grade. *American Journal of Public Health*, 100(9), 1635-1640.
6. *Jacobson v. Massachusetts*, 197 U.S. 11 (1905).
7. National Conference of State Legislatures. States with religious and philosophical exemptions from school immunization requirement. Retrieved May 31, 2019, from <http://www.ncsl.org/research/health/school-immunization-exemption-state-laws.aspx>
8. Glanz, J. M., McClure, D. L., Magid, D. J., Daley, M. F., France, E. K., Salmon, D. A., et al. (2009). Parental refusal of pertussis vaccination is associated with an increased risk of pertussis infection in children. *Pediatrics*, 123, 1446-1451.
9. Glanz, J. M., McClure, D. L., Magid, D. J., Daley, M. F., France, E. K. & Hambidge, S. J. (2010). Parental refusal of varicella vaccination and the associated risk of varicella infection in children. *Archive of Pediatric Adolescent Medicine*, 164(1), 66-70.
10. Omer, S. B., Enger, K. S., Moulton, L. H., Halsey, N. A., Stokley, S., & Salmon, D. A. (2008). Geographic clustering of nonmedical exemptions to school immunization requirements and associations with geographic clustering of pertussis. *American Journal of Epidemiology*, 168, 1389–96.
11. Mellerson JL, Maxwell CB, Knighton CL, Kriss JL, Seither R, Black CL. Vaccination Coverage for Selected Vaccines and Exemption Rates Among Children in Kindergarten — United States, 2017–18 School Year. *MMWR Morb Mortal Wkly Rep* 2018;67:1115–1122. DOI: Retrieved May 31, 2019 from <http://dx.doi.org/10.15585/mmwr.mm6740a3>
12. Blank, N.R., Caplan, A. L., & Constable, C. (2013). Exempting schoolchildren from immunizations: States with few barriers had highest rate of nonmedical exemptions. *Health Affairs*, 32(7), 1282-1290.
13. Stadlin, S., Bednarczyk, R. A., & Omer, S. B. (2012). Medical exemptions to school immunization requirements in the United States—association of state policies with medical exemption rates (2004–2011). *Journal of Infectious Disease*, 206, 989-92.
14. Folaranmi, T., Rubin, L., Martin, S.W., Patel, M., & MacNeil, J.R. (2015). Use of sergroup B meningococcal vaccines in persons aged ≥ 10 years at increased risk for sergroup B meningococcal disease: Recommendations of the Advisory Committee on Immunization Practices, 2015. *Morbidity and Mortality Weekly Report*, 64(22), 608-12.
15. McLean, H.Q., Fiebelkorn, A.P., Temte, J.L., Wallace, G.S. (2013). Prevention of measles, rubella, congenital rubella syndrome, and mumps, 2013: Summary recommendations of the Advisory Committee on Immunization Practices (ACIP). *Morbidity and Mortality Weekly Report*, 62(RR-04), 1-24.
16. Omer, S., Pan, W. K., Halsey, N. A., Stokley, S., Moulton, L. H., Navar, A. M., et al. (2006). Nonmedical exemptions to school immunization requirements: secular trends and association of state policies with pertussis incidence. *Journal of the American Medical Association*, 296, 1757-63.
17. Wang, E., Clymer, J., Davis-Hayes, C. & Buttenheim, A. (2014). Nonmedical exemptions from school immunization requirements: a systematic review. *American Journal of Public Health*, 104(11), e62-84.

Record of Action

Proposed by NACCHO Immunization Workgroup

Approved by NACCHO Board of Directors February 24, 2016

Updated July 2019