

Virtual Exhibit Hall: Berlinger SmartSystem

April 5, 2023



Association of
Immunization
Managers

AIM does not endorse any products featured on the AIM Virtual Exhibit Hall Webinars. The information displayed is provided by vendors and not verified by AIM


This webinar is being recorded and will be posted to the AIM website

Agenda

- **12:30 - 12:32 ET:** Welcome and Technology Overview (Monica)
- **12:32 - 12:55 ET:** Berlinger Presentation
- **12:55- 1:00:** Q&A and Closing

About AIM

- The Association of Immunization Managers (AIM) represents the 64 immunization programs that receive funding from CDC's National Center for Immunization and Respiratory Diseases (NCIRD)
- In 50 states, 5 major cities + D.C., the territories, and Pacific Islands
- Programs are tasked with COVID-19 vaccine planning: distribution, administration, and tracking



Remote Temperature Monitoring with SmartSystem

Berlinger SmartSystem

2.9° 5.2°

4.3°

6.3°



Innovation
since **1865**



140
employees



Operating in over
175 countries



Over **35 years** of experience
in Temperature Monitoring



Swiss Quality
Berlinger people make the difference



Sustainability
is at the heart of our design process




Family-
owned



Digitalization-driven

From Temperature Monitoring to Full Condition Monitoring



Sustainability Concept

Pharma & Life Science



Clinical Trial



Global Health

State Health Departments






Berlinger SmartSystem


2.9° 5.2°

4.3°

6.3°

— **Safeguarding of vaccines**
through local relevant information and
remote alarm notification by leveraging
the power of the **SmartSystem platform**





Modular real-time monitoring for fridges and freezers. Fully featured and reusable.

SmartView




SmartMonitor



SmartServices

Training & Commissioning



SmartView

2.9° 5.2°

4.3°

6.3°

Displays the data captured in one platform
Maximize efficiency and empower automation with API



Reporting

Audit ready with full data access worldwide
to manage KPI easily at the highest quality standards



Cold Chain Equipment Visibility

Immediate alarming in case of temperature deviations
which allows timely and optimization



Quality


Full insights available in SmartView for
QA decisions and in-depth reviews



Automation

Digitize process and device management





Modular Hardware Platform



2.9° 5.2°

-  Just-in-time decision-making
-  Visual and acoustic alarm
-  Powerful back-up battery
-  Global connectivity
-  Multiple appliance monitoring
-  Intuitive handling
-  PQS prequalified E006/087





	Application	Sensors	Communication	Features	Localization
SITE L	<ul style="list-style-type: none"> Re-use Rechargeable battery Multiple external sensors 	<ul style="list-style-type: none"> Temperature Humidity Light Tilt / Shock / Free fall 	<ul style="list-style-type: none"> Bluetooth Cellular Wi-Fi 	<ul style="list-style-type: none"> USB Display Visual and acoustic alarm 	
SHIP L	<ul style="list-style-type: none"> Re-use Rechargeable battery External sensor 	<ul style="list-style-type: none"> Temperature Humidity Light Tilt / Shock / Free fall 	<ul style="list-style-type: none"> Bluetooth Cellular 	<ul style="list-style-type: none"> USB Display 	<ul style="list-style-type: none"> Cellular GNSS

Increase automation and reduce costs with device **INTERCOMMUNICATION**



Berlinger SmartSystem

Remote Temperature Monitoring



Enhance safeguarding of vaccines with
Remote Temperature Monitoring

Quality in detail



Higher accuracy

SmartSensor supports higher temperature accuracy to monitor very temperature sensitive products.



Constant temperature

Sensor in glycol bottle reduces sudden temperature fluctuations (refrigerator door opening or defrosting cycles)




Quality Assurance

If the SmartSensor is disconnected from the SmartMonitor during the monitoring process, the user will be alarmed



Extended temperature range

From -200 to +75°C with one device, enabled by SmartSensor.



No heat bridges.

Secure product monitoring thanks to an ultra thin flat cable for optimum temperature monitoring in packaging, container, refrigerator or freezer




Secure device connection

Firmly secured connection to SmartMonitor with M5 connector.



Unique identification

SmartSensor management in SmartView including alarming, history and calibration.



Reliable installation

Cradle, angle adapter and extension cable allowing secure and reliable installation.




Guaranteed compatibility

The SmartMonitor notifies if a wrong SmartSensor type or ID is connected.

*Detailed information in the [technical specification](#) sheet

From Ambition to Action

Reduce the Footprint of Condition Monitoring



...Sustainability-driven product innovation



Questions

Upcoming Virtual Exhibit Hall Webinars

- Monday, April 24 at 12:00-12:30 PM ET | [SensoScientific](#)
- Monday, April 24 at 1:00-1:30 PM ET | [HLN](#)
- Monday, April 24 at 2:00-2:30 PM ET | [Dynavax](#)
- Wednesday, April 26 at 2:00-2:30 PM ET | [Novavax](#)
- Wednesday, April 26 at 3:30-4:00 PM ET | [Strategic Solutions Group](#)
- Wednesday, May 10 at 1:00-1:30 PM ET | [LogTag](#)
- Wednesday, May 10 at 3:00-3:30 PM ET | [Pfizer](#)
- Wednesday, June 28 at 1:00-1:30 PM ET | [Bavarian Nordic](#)

Closing

- Still have questions? Submit your questions to monica_mayer@outlook.com and AIM will facilitate a response.
- Take the event evaluation that we will send at the end of the webinars. Your feedback will help us improve!
- The event recording and Vendor FAQs will be available on the AIM website

<https://www.immunizationmanagers.org/corporate-alliance/virtual-exhibit-hall/>